

HEAVY DUTY DISC HARROW



SMHDD-32



SMHDD-32



SMHDD-20





GENERAL FEATURES

Our disc harrows are produced with three point linkage system. It is suitable to use as mounted and trailed type according to desire of user. Implement used for soil processing. Also, it is possible to use at the vineyards (between trees) as mounted and at plain soils as trailed. Intended uses are seed bed preparation, smashing the weeds which is not good for the soil, particularly on rainy season.

TECHNICAL DETAILS

CODE	DISC DIAMETER (CM)		DISC SPACE (MM)	BEARING BED QUANTITY	CHASSIS DIMENSION (MM)	WORKING WIDTH (CM)	WEIGHT (KG)		REQUIRED POWER (HP)
							46Q	51Q	
SMHDD-20	46	51	180	6	100 x 100 x 6	180	480	520	45-50
SMHDD-22	46	51	180	6	100 x 100 x 6	198	525	565	50-55
SMHDD-24	46	51	180	8	100 x 100 x 6	216	570	615	55-60
SMHDD-26	46	51	180	8	100 x 100 x 6	234	620	675	60-65
SMHDD-28	46	51	180	8	100 x 100 x 6	252	670	725	65-70
SMHDD-30	46	51	180	8	100 x 100 x 6	270	715	780	70-75
SMHDD-32	46	51	180	8	100 x 100 x 6	288	760	830	75-80
SMHDD-34	46	51	180	12	100 x 100 x 6	306	810	880	80-85
SMHDD-36	46	51	180	12	100 x 100 x 6	324	860	935	85-90
SMHDD-38	46	51	180	12	100 x 100 x 6	342	905	985	90-95
SMHDD-40	46	51	180	12	100 x 100 x 6	360	950	1040	95-100
SMHDD-44	46	51	180	12	100 x 100 x 6	396	1050	1140	100-105
SMHDD-48	46	51	180	12	100 x 100 x 6	432	1145	1245	105-110

CODE	DISC DIAMETER (CM)		DISC SPACE (MM)	BEARING BED QUANTITY	CHASSIS DIMENSION (MM)	WORKING WIDTH (CM)	WEIGHT (KG)		REQUIRED POWER (HP)
							56Q	61Q	
SMHDD-18	56	61	220	6	100 x 200 x 6	198	980	1050	65-70
SMHDD-20	56	61	220	8	100 x 200 x 6	220	1100	1150	70-75
SMHDD-22	56	61	220	8	100 x 200 x 6	242	1200	1250	75-80
SMHDD-24	56	61	220	8	100 x 200 x 6	264	1300	1400	80-90
SMHDD-26	56	61	220	8	100 x 200 x 6	286	1400	1500	90-120
SMHDD-28	56	61	220	8	100 x 200 x 6	308	1550	1600	120-140
SMHDD-30	56	61	220	8	100 x 200 x 6	330	1650	1750	140-160
SMHDD-32	56	61	220	8	100 x 200 x 6	352	1750	1850	160-170
SMHDD-34	56	61	220	8	100 x 200 x 6	374	1850	1950	170-200



SOIL MASTER
AGRICULTURAL MACHINERY

HEAD OFFICE

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G
42050 Karatay/Konya/TURKEY

T: +90 332 290 00 20
F: +90 332 290 00 19

FACTORY

Add: Büyükkayacık Osb, Yaylacık Cd. No:
23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 239 18 85
T: +90 332 239 18 86
F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



SOILMASTER AGRICULTURAL MACHINERY



For detailed information about
our products, you can scan the
QR code by your device.